HALL Appl. No. 10/662,785 February 11, 2009

## <u>AMENDMENTS TO THE CLAIMS:</u>

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-24 (canceled).

25 (currently amended). A method of preparing a zinc anode composition including comprising the steps of:

- 4. (i) Proparing a preparing a suspension of a first precipitate of zinc hydroxide;
- $\frac{2}{2}$ . (ii) Mixing mixing a solution of an alkali salt of either a  $C_6$ - $C_{30}$  fatty acid or a  $C_6$ - $C_{30}$  alkyl sulfonic acid with a the suspension of the a first precipitate of zinc hydroxide to provide a mix; and then
- 3. (iii) Adding adding a solution of a salt of an acid to the mix to provide the composition as a second precipitate;

wherein the anode composition is a mixture of zinc hydroxide and an insoluble salt of either a  $C_6$ - $C_{30}$  fatty acid or a  $C_6$ - $C_{30}$ -alkyl sulfonic acid that has an electrochemically active form of zinc.

26 (Original). A method as claimed in Claim 25 wherein the first precipitate includes graphite.

27 (cancelled).

HALL

Appl. No. 10/662,785 February 11, 2009

28 (currently amended). A method as claimed in Claim 25 wherein the alkali salt of either a the  $C_6$ - $C_{30}$  fatty acid or a  $C_6$ - $C_{30}$  alkyl-sulfonic acid is an alkali salt of a naturally occurring  $C_{12}$ - $C_{22}$  fatty acid.

29 (currently amended). A method as claimed in Claim 25 wherein the alkali salt of either a the  $C_6$ - $C_{30}$  fatty acid or a  $C_6$ - $C_{30}$  alkyl sulfonic-acid is an alkali metal salt of stearate.

30 (currently amended). A method as claimed in Claim 25 wherein the alkali salt of either a the  $C_6$ - $C_{30}$  fatty acid or a  $C_8$ - $C_{30}$  alkyl sulfonic acid is potassium stearate.

31 (original). A method as claimed in Claim 30 wherein the salt of a mineral acid is zinc sulphate.

32 (previously presented). A method as claimed in Claim 30 wherein the composition is a mixture of zinc stearate and either zinc hydroxide or a combination of zinc oxide and zinc hydroxide.

33 (previously presented). A method as claimed in Claim 32 wherein the molar ratio of zinc stearate to either zinc hydroxide or a combination of zinc oxide and zinc hydroxide is in the range 0.0001:1 to 0.5:1.

34 (currently amended). A method as claimed in Claim 32 33 wherein the

HALL Appl. No. 10/662,785 February 11, 2009

range is 0.05:1 to 0.4:1.

35 (currently amended). A method as claimed in Claim 32 34 wherein the range is 0.075:1 to 0.25:1.

36 (currently amended). A method as claimed in Claim 32 30 wherein the salt of a mineral acid is calcium nitrate.

37 (previously presented). A method as claimed in Claim 36 wherein the composition is a mixture of calcium stearate and either zinc hydroxide or a combination of zinc oxide and zinc hydroxide.

38 (previously presented). A method as claimed in Claim 37 wherein the molar ratio of calcium stearate to either zinc hydroxide or a combination of zinc oxide and zinc hydroxide is in the range 0.0001:1 to 0.2:1.

39 (currently amended). A method as claimed in Claim 37 38 wherein the range is 0.01:1 to 0.1:1.

40 (currently amended). A method as claimed in Claim 37 39 wherein the range is 0.03:1 to 0.15:1.

41-87 (canceled).